

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200 Initial Preparation Date: 08.25.2021 Revision date: 01.02.2023

Lonestar

SECTION 1: Identification

Product Identifier Product Name: Lonestar Product code: QW-0076

Recommended Use of the Product and Restriction on Use

Relevant Identified Uses: Commercial Vehicle Wash - Alkaline Detergent Uses Advised Against: Not determined or not applicable. Reasons Why Uses Advised Against: Not determined or not applicable.

Manufacturer or Supplier Details

Manufacturer: United States Quest Car Care Products 3333 Production Ct. Zeeland, Michigan 49464 616-772-5100 www.questcarcare.com

Emergency Telephone Number:

United States CHEMTREC 1-800-424-9300 (24 hrs) 1-800-262-8200 (24 hrs) 1-703-527-3887 (24 hrs (international))

SECTION 2: Hazard(s) Identification

GHS Classification:

Acute toxicity (oral), category 4 Skin corrosion, category 1 Serious eye damage, category 1

Label elements

Hazard Pictograms:



Signal Word: Danger

Hazard statements:

H318 Causes serious eye damage H314 Causes severe skin burns and eye damage H302 Harmful if swallowed Page 1 of 13

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.25.2021

Revision date: 01.02.2023

Lonestar

Precautionary Statements:

P280 Wear protective gloves/protective clothing/eye protection/face protection P260 Do not breathe dust/fume/gas/mist/vapors/spray P264 Wash hands/skin thoroughly after contact with or handling. P270 Do not eat, drink or smoke when using this product P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 Immediately call a POISON CENTER/911/PHYSICIAN IF: swallowed, eye contact, skin burns/rash or breathing difficulties. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P363 Wash contaminated clothing before reuse P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing P321 Specific treatment (see first aid procedures on the product label in section 4 of this SDS) P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell P330 Rinse mouth P405 Store locked up P501 Dispose of contents/container in accordance with local, state and federal regulations.

Hazards Not Otherwise Classified: None

SECTION 3: Composition/Information on Ingredients

Identification	Name	Weight %
CAS Number: 7732-18-5	Water	50-75
CAS Number: Proprietary	Nonionic surfactants	5-10
CAS Number: 10213-79-3	Silicic acid, disodium salt, pentahydrate	5-10
CAS Number: 64-02-8	Tetrasodium ethylenediamine tetraacetate	1-5
CAS Number: 1310-58-3	Potassium hydroxide	1-5
CAS Number: Proprietary	Nonionic surfactants	1-5

Additional Information:

Ingredients not listed above are being withheld as trade secret.

SECTION 4: First Aid Measures

Description of First Aid Measures

General Notes:

Show this Safety Data Sheet to the doctor in attendance.

Show this Safety Data Sheet to the doctor in attendance. Take precautions to ensure your own safety before attempting rescue. Wear appropriate safety eyewear, gloves, protective clothing and respiratory protection to prevent exposure. See Section 8 of this SDS for personal protective equipment

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200 Initial Preparation Date: 08.25.2021

Revision date: 01.02.2023

Lonestar

recommendations. Do not use the mouth to mouth method if victim has ingested or inhaled the product. Give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper device.

After Inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If symptoms develop or persist, seek medical advice/attention.

After Skin Contact:

Treatment is urgent. Seek emergency medical treatment. Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse.

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

After Eye Contact:

Immediately rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. Seek immediate medical attention, preferably from an ophthalmologist.

Rinse eyes with plenty of water for several minutes. Remove contact lenses, if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

After Swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. Seek immediate medical attention.

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

Most Important Symptoms and Effects, Both Acute and Delayed

Acute Symptoms and Effects:

Eye contact may result in irritation, redness, pain, inflammation, itching, burning, tearing, corneal damage and loss of vision.

Exposure to skin may result in redness, pain, burning, inflammation and tissue damage. Exposure to eyes may result in irritation, redness, pain, inflammation, itching, burning and tearing. Exposure via inhalation may result in cough, sore throat, burning sensation and shortness of breath. Exposure via ingestion may result in burns of the mouth and throat, abdominal pain, burning sensation in the throat and chest, nausea, vomiting, shock or collapse.

Acute oral exposure may lead to dizziness, drowsiness, headache, breathing difficulties, nausea, vomiting, abdominal pain, and lowering of consciousness. Adverse effects are dependent on exposure (dose, concentration, contact time).

Delayed Symptoms and Effects:

Effects are dependent on exposure (dose, concentration, contact time).

Symptoms of exposure may be delayed.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.25.2021

Revision date: 01.02.2023

Lonestar

Immediate Medical Attention and Special Treatment

Specific Treatment:

In case of eye contact, seek prompt medical attention while rinsing is continued.

In case of skin contact, seek prompt medical attention while rinsing is continued.

In case of ingestion, seek prompt medical attention.

Notes for the Doctor:

Treat symptomatically.

SECTION 5: Firefighting Measures

Extinguishing Media

Suitable Extinguishing Media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

Unsuitable Extinguishing Media:

Do not use water jet.

Specific Hazards During Fire-Fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

Special Protective Equipment for Firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

SECTION 6: Accidental Release Measures

Personal Precautions, Protective Equipment, and Emergency Procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling. Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Do not get on skin, eyes or on clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling. Remove contaminated clothing and launder before reuse.

Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

Methods and Material for Containment and Cleaning Up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Harmful if swallowed. Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Avoid breathing dust, mist, fumes, vapors or spray. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Reference to Other Sections:

For personal protective equipment see Section 8. For disposal see Section 13.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200 Initial Preparation Date: 08.25.2021

Revision date: 01.02.2023

Lonestar

SECTION 7: Handling and Storage

Precautions for Safe Handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Do not get in eyes. Avoid contact with skin and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Use appropriate personal protective equipment (see Section 8). Prevent skin contact. Do not get in eyes. Use only with adequate ventilation. Do not add water to the corrosive product. If it is necessary to mix a corrosive product with water, do so slowly adding the corrosive to cold water, in small amounts, and stir frequently. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use. Keep only in original packaging. Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Conditions for Safe Storage, Including Any Incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight and away from exit paths. Store in a corrosion-resistant container with a resistant inner liner. Inspect containers and storage area regularly for signs of leak and damage. Store containers at a convenient height for handling, below eye level if possible. High shelving increases the risk of dropping containers, personal injury and exposure. Ensure that appropriate fire fighting and spill-clean up equipment is readily available. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Store separately. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

SECTION 8: Exposure Controls/Personal Protection

Only those substances with limit values have been included below.

Country (Legal Basis)	Substance	Identifier	Permissible concentration
ACGIH	Potassium hydroxide	1310-58-3	Ceiling Limit: 2 mg/m ³
NIOSH	Potassium hydroxide	1310-58-3	Ceiling Limit: 2 mg/m ³
United States(California)	Potassium hydroxide	1310-58-3	Ceiling Limit: 2 mg/m ³

Occupational Exposure Limit Values:

Biological Limit Values:

No biological exposure limits noted for the ingredient(s).

Information on Monitoring Procedures:

Not determined or not applicable.

Appropriate Engineering Controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Revision date: 01.02.2023

Lonestar

handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

Personal Protection Equipment

Eye and Face Protection:

Use safety glasses with side shields or goggles. Consider the use of a face shield for splash protection. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Skin and Body Protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Full body protection should be worn. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by recognized national standards (or equivalent).

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Respiratory Protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

General Hygienic Measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

SECTION 9: Physical and Chemical Properties

Information on Basic Physical and Chemical Properties

Appearance	Royal Blue
Odor	Slight detergent
Odor threshold	Not determined or not available.
рН	>13.0
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	Not determined or not available.
Flash point (closed cup)	None
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.25.2021

Revision date: 01.02.2023

Lonestar

	L
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Vapor density	Not determined or not available.
Density	Not determined or not available.
Relative density	1.03-1.08
Solubilities	Water
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

SECTION 10: Stability and Reactivity

Reactivity:

Not reactive under recommended handling and storage conditions.

Chemical Stability:

Stable under recommended handling and storage conditions.

Possibility of Hazardous Reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

Conditions to Avoid:

Avoid generation of aerosols and mists, extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

Incompatible Materials:

None known.

Hazardous Decomposition Products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological Information

Acute Toxicity

Assessment:

Harmful if swallowed.

Product Data: No data available.

Substance Data:

Name	Route	Result
Tetrasodium ethylenediamine tetraacetate	oral	LD50 Rat: 1780 mg/kg
Nonionic surfactants	Oral ATE	LD50 Rat: 500 mg/kg
	dermal	LD50 Rabbit: > 2000 mg/kg
		LD50 Rat: > 2000 mg/kg
	oral	LD50 Rat: 1064 mg/kg
	inhalation	LC50 Rat: >1.6 mg/m ³ (4 hr [Aerosol])

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.25.2021

Revision date: 01.02.2023

Lonestar

Name	Route	Result
Silicic acid, disodium salt, pentahydrate	oral	LD50 Mouse: 1200 - 1700 mg/kg
Potassium hydroxide	oral	LD50 Rat: 333 mg/kg

Skin Corrosion/Irritation

Assessment:

Causes severe skin burns and eye damage.

Product Data:

No data available.

Substance Data:

Name	Result
Nonionic surfactants	Causes skin irritation.
Silicic acid, disodium salt, pentahydrate	Causes severe skin burns.
Potassium hydroxide	Causes severe skin burns.

Serious Eye Damage/Irritation

Assessment:

Causes serious eye damage.

Product Data:

No data available.

Substance Data:

Name	Result
Tetrasodium ethylenediamine tetraacetate	Causes serious eye damage.
Nonionic surfactants	Causes serious eye damage.
	Causes serious eye damage.
Silicic acid, disodium salt, pentahydrate	Causes serious eye damage.
Potassium hydroxide	Causes serious eye damage.

Respiratory or Skin Sensitization

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data: No data available.

International Agency for Research on Cancer (IARC):

Name	Classification
Water	Not Applicable
Nonionic surfactants	Not Applicable
	Not Applicable

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.25.2021

Revision date: 01.02.2023

Lonestar

Name	Classification
Silicic acid, disodium salt, pentahydrate	Not Applicable
Tetrasodium ethylenediamine tetraacetate	Not Applicable
Potassium hydroxide	Not Applicable

National Toxicology Program (NTP):

Name	Classification
Water	Not Applicable
Nonionic surfactants	Not Applicable
	Not Applicable
Silicic acid, disodium salt, pentahydrate	Not Applicable
Potassium hydroxide	Not Applicable
Tetrasodium ethylenediamine tetraacetate	Not Applicable

OSHA Carcinogens: Not applicable

Germ Cell Mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Reproductive Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Specific Target Organ Toxicity (Single Exposure)

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data:

Name	Result
Silicic acid, disodium salt, pentahydrate	May cause respiratory irritation.

Specific Target Organ Toxicity (Repeated Exposure)

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data:

Name	Result
tetraacetate	Animal studies indicate that chronic exposure can cause damage to organs. Causes changes in tubules (including acute renal failure and necrosis) in intraperitoneal lethal-dose studies of mice; [RTECS]

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.25.2021

Revision date: 01.02.2023

Lonestar

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Information on Likely Routes of Exposure:

No data available. Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

No data available.

Other Information:

No data available.

SECTION 12: Ecological Information

Acute (Short-Term) Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

Name	Result	
Nonionic surfactants	Fish LC50 Oncorhynchus mykiss: 5 - 7 mg/L (96 hr)	
	Aquatic Invertebrates EC50 Daphnia magna: 2.5 mg/L (48 hr [mobility])	
	Aquatic Plants EC50 Raphidocelis subcapitata: 1.4 mg/L (96 hr [cell number])	
	Aquatic Plants EC50 Pseudokirchneriella subcapitata: 0.07 mg/L (72 hr)	
Tetrasodium ethylenediamine	Fish LC50 Oncorhynchus mykiss: >100 mg/L (96 hr)	
tetraacetate	Aquatic Invertebrates EC50 Daphnia magna: 140 mg/L (48 hr [mobility])	
	Aquatic Plants EC50 Pseudokirchneriella subcapitata: >60 mg/L (72 hr [growth rate])	

Chronic (Long-Term) Toxicity

Assessment: Based on available data, the classification criteria are not met. **Product Data:** No data available.

Substance Data:

Name	Result
Tetrasodium ethylenediamine	Fish NOEC Danio rerio: >=35.1 mg/L (35 d)
tetraacetate	Aquatic Invertebrates NOEC Daphnia magna: 25 mg/L (21 d [reproduction])
Nonionic surfactants	Fish NOEC Lepomis macrochirus: > 0.33 mg/L (30 d [mortality])
	Aquatic Invertebrates NOEC Daphnia magna: 0.77 mg/L (21 d [reproduction])
	Aquatic Invertebrates NOEC Daphnia magna: 0.7 mg/L (21 d)
	Fish NOEC Pimephales promelas: 0.495 mg/L (15 d)

Persistence and Degradability

Product Data: No data available.

Substance Data:

Name	Result
	Readily biodegradable in water (95% degradation [CO2 evolution] in 28 days).

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.25.2021

Revision date: 01.02.2023

Lonestar

Name	Result
Potassium hydroxide	The study on degradability does not need to be conducted as the substance is inorganic.
Nonionic surfactants	Substance is Readily biodegradable. 72% degradation in water, measured by inorganic C analysis, after 28 days.
Tetrasodium ethylenediamine tetraacetate	The substance is not readily biodegradable. 76% degradation, measured by O2 consumption, after 56 days.

Bioaccumulative Potential

Product Data: No data available.

Substance Data:

Name	Result
Tetrasodium ethylenediamine tetraacetate	This substance is not expected to bioaccumulate. BCF (aquatic species): 1.8 L/kg
Potassium hydroxide	Not expected to bioaccumulate, as it completely dissociates in water.
Nonionic surfactants	The substance has the potential to bioaccumulate (log Pow=3.3 - 3.73).
Nonionic surfactants	Substance has low potential for bioaccumulation (log kow: <3; estimated BCF: 0.7).

Mobility in Soil

Product Data: No data available.

Substance Data:

Name	Result
Tetrasodium ethylenediamine tetraacetate	This substance is expected to be moderately mobile with a moderate potential for adsorption to soil and sediment. Calculated Koc: 312.7 dimensionless.
Nonionic surfactants	The substance is moderately mobile (log Koc: 1.575 - 2.365).
Potassium hydroxide	Low potential for adsorption. If emitted to surface water, sorption to sediment will be negligible.
Nonionic surfactants	Substance is expected to be slightly mobile (log Koc: 3.18).

Results of PBT and vPvB assessment

Product Data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT. **vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

Substance Data:

PBT assessment:

Tetrasodium ethylenediamine tetraacetate	This substance is not PBT.	
Nonionic surfactants	The substance is not PBT.	
Nonionic surfactants	The substance is not PBT.	
Potassium hydroxide	The substance is not PBT.	
vPvB assessment:		
Tetrasodium ethylenediamine tetraacetate	This substance is not vPvB.	
Nonionic surfactants	The substance is not vPvB.	
Nonionic surfactants	The substance is not vPvB.	
Potassium hydroxide	The substance is not vPvB.	

Other Adverse Effects: No data available.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.25.2021

Revision date: 01.02.2023

Lonestar

SECTION 13: Disposal Considerations

Disposal Methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

Contaminated packages:

Not determined or not applicable.

SECTION 14: Transport Information

United States Transportation of Dangerous Goods (49 CFR DOT)

UN Number	3266	
UN Proper Shipping Name	Corrosive, Liquid, Basic, Inorganic, N.O.S. (Sodium Metasilicate, Potassium Hydroxide)	
UN Transport Hazard Class(es)	8	
Packing Group	III	
Environmental Hazards	None	
Special Precautions for User	None	

International Maritime Dangerous Goods (IMDG)

UN Number	3266	
UN Proper Shipping Name	Corrosive, Liquid, Basic, Inorganic, N.O.S. (Sodium Metasilicate, Potassium Hydroxide)	
UN Transport Hazard Class(es)	8	
Packing Group	III	
Environmental Hazards	None	
Special Precautions for User	None	

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN Number	3266	
UN Proper Shipping Name	Corrosive, liquid, basic, inorganic, N.O.S. (Sodium Metasilicate, Potassium Hydroxide)	
UN Transport Hazard Class(es)	8	
Packing Group	111	
Environmental Hazards	None	
Special Precautions for User	None	

SECTION 15: Regulatory Information

United States Regulations

Inventory Listing (TSCA): All ingredients are listed-active or exempt.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.25.2021 Revision date: 01.02.2023

Lonestar

-	Jse Rule (TSCA Section 5): None of the ingred on under TSCA Section 12(b): None of the ing		
	2 Extremely Hazardous Substances: None of3 Toxic Chemicals: None of the ingredients are	•	
1310-58-3	Potassium hydroxide	Listed	1000 lb
RCRA: None of the	ingredients are listed.		-
Section 112(r) of	the Clean Air Act (CAA): None of the ingredie	nts are listed.	
Massachusetts R	ight to Know:		
1310-58-3	Potassium hydroxide		Listed
New Jersey Right	to Know:		•
1310-58-3	Potassium hydroxide		Listed
New York Right t	o Know:		•
1310-58-3	Potassium hydroxide		Listed
Pennsylvania Rig	ht to Know:		•
1310-58-3	Potassium hydroxide		Listed
California Propos	ition 65: None of the ingredients are listed.		•
-	nation: Not determined.		

SECTION 16: Other Information

Abbreviations and Acronyms: None

Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA: 0-0-0 HMIS: 2-0-0-B Initial Preparation Date: 08.25.2021 Revision date: 01.02.2023

End of Safety Data Sheet