

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.11.2021

Revision date: 05.01.2023

Ultra Soak Lo

SECTION 1: Identification

Product Identifier

Product Name: Ultra Soak Lo

Recommended Use of the Product and Restriction on Use

Relevant Identified Uses: Acidic Detergent - Commercial Vehicle Wash **Uses Advised Against:** Not determined or not applicable. **Reasons Why Uses Advised Against:** Not determined or not applicable.

Manufacturer or Supplier Details

Manufacturer:

United States Quest Car Care Products 3333 Production Ct. Zeeland, Michigan 49464 616-772-5100 www.questcarcare.com

Emergency Telephone Number:

United States

CHEMTREC 1-800-424-9300 (24 hrs) 1-800-262-8200 (24 hrs) 1-703-527-3887 (24 hrs (international))

SECTION 2: Hazard(s) Identification

GHS Classification:

Acute toxicity (oral), category 4 Skin corrosion, category 1A Serious eye damage, category 1

Label elements

Hazard Pictograms:



Signal Word: Danger

Hazard statements:

H314 Causes severe skin burns and eye damage

- H318 Causes serious eye damage
- H302 Harmful if swallowed

Precautionary Statements:

P260 Do not breathe dust/fume/gas/mist/vapors/spray

Page 1 of 13

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.11.2021

Revision date: 05.01.2023

Ultra Soak Lo

P264 Wash hands/skin thoroughly after contact with or handling.
P280 Wear protective gloves/protective clothing/eye protection/face protection
P270 Do not eat, drink or smoke when using this product
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
P363 Wash contaminated clothing before reuse
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P310 Immediately call a POISON CENTER/911/PHYSICIAN IF: swallowed, eye contact, skin burns/rash or breathing difficulties.
P321 Specific treatment (see first aid procedures on the product label in section 4 of this SDS)
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
P330 Rinse mouth

P405 Store locked up

P501 Dispose of contents/container in accordance with local, state and federal regulations.

Hazards Not Otherwise Classified: None

SECTION 3: Composition/Information on Ingredients

| Identification | Name | Weight % |
|---------------------------|--|----------|
| CAS Number: 7732-18-5 | Water | 25-40 |
| CAS Number: 7664-38-2 | Orthophosphoric Acid | 25-40 |
| CAS Number: 68584-22-5 | Benzenesulfonic acid, C10-16-alkyl derivatives | 10-25 |
| CAS Number: 111-76-2 | 2-Butoxyethanol | 1-10 |
| CAS Number: 7664-93-9 | Sulfuric acid | 0.1-1 |

Additional Information:

Ingredients not listed above are being withheld as trade secret.

SECTION 4: First Aid Measures

Description of First Aid Measures

General Notes:

Show this Safety Data Sheet to the doctor in attendance.

Show this Safety Data Sheet to the doctor in attendance. Take precautions to ensure your own safety before attempting rescue. Wear appropriate safety eyewear, gloves, protective clothing and respiratory protection to prevent exposure. See Section 8 of this SDS for personal protective equipment recommendations. Do not use the mouth to mouth method if victim has ingested or inhaled the product. Give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper device.

After Inhalation:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200 Initial Preparation Date: 02.11.2021

Revision date: 05.01.2023

Page 3 of 13

Ultra Soak Lo

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If symptoms develop or persist, seek medical advice/attention.

After Skin Contact:

Treatment is urgent. Seek emergency medical treatment. Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse.

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

After Eye Contact:

Immediately rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. Seek immediate medical attention, preferably from an ophthalmologist.

Rinse eyes with plenty of water for several minutes. Remove contact lenses, if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

After Swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. Seek immediate medical attention.

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

Most Important Symptoms and Effects, Both Acute and Delayed Acute Symptoms and Effects:

Exposure to skin may result in redness, pain, burning, inflammation and tissue damage. Exposure to eyes may result in irritation, redness, pain, inflammation, itching, burning, tearing, corneal damage and loss of vision. Exposure via inhalation may result in cough, sore throat, burning sensation and shortness of breath. Exposure via ingestion may result in burns of the mouth and throat, abdominal pain, burning sensation in the throat and chest, nausea, vomiting, shock or collapse.

Eye contact may result in irritation, redness, pain, inflammation, itching, burning, tearing, corneal damage and loss of vision.

Acute oral exposure may lead to dizziness, drowsiness, headache, breathing difficulties, nausea, vomiting, abdominal pain, and lowering of consciousness. Adverse effects are dependent on exposure (dose, concentration, contact time).

Delayed Symptoms and Effects:

Effects are dependent on exposure (dose, concentration, contact time). Symptoms of exposure may be delayed.

Immediate Medical Attention and Special Treatment

Specific Treatment:

In case of eye contact, seek prompt medical attention while rinsing is continued. In case of skin contact, seek prompt medical attention while rinsing is continued.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.11.2021

Revision date: 05.01.2023

Ultra Soak Lo

In case of ingestion, seek prompt medical attention.

Notes for the Doctor:

Treat symptomatically.

SECTION 5: Firefighting Measures

Extinguishing Media

Suitable Extinguishing Media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

Unsuitable Extinguishing Media:

Do not use water jet.

Specific Hazards During Fire-Fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

Special Protective Equipment for Firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

SECTION 6: Accidental Release Measures

Personal Precautions, Protective Equipment, and Emergency Procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling. Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Do not get on skin, eyes or on clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling. Remove contaminated clothing and launder before reuse.

Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

Methods and Material for Containment and Cleaning Up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Harmful if swallowed. Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Avoid breathing dust, mist, fumes, vapors or spray. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Reference to Other Sections:

For personal protective equipment see Section 8. For disposal see Section 13.

SECTION 7: Handling and Storage

Precautions for Safe Handling:

Use appropriate personal protective equipment (see Section 8). Prevent skin contact. Do not get in eyes.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200 Initial Preparation Date: 02.11.2021

Revision date: 05.01.2023

Ultra Soak Lo

Use only with adequate ventilation. Do not add water to the corrosive product. If it is necessary to mix a corrosive product with water, do so slowly adding the corrosive to cold water, in small amounts, and stir frequently. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use. Keep only in original packaging. Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Do not get in eyes. Avoid contact with skin and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep away from incompatible materials (see Section 10). Keep away from incompatible materials (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Do not get in eyes. Avoid contact with skin and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Conditions for Safe Storage, Including Any Incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight and away from exit paths. Store in a corrosion-resistant container with a resistant inner liner. Inspect containers and storage area regularly for signs of leak and damage. Store containers at a convenient height for handling, below eye level if possible. High shelving increases the risk of dropping containers, personal injury and exposure. Ensure that appropriate fire fighting and spill-clean up equipment is readily available. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Store separately. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

SECTION 8: Exposure Controls/Personal Protection

Only those substances with limit values have been included below.

| Country (Legal Basis) | Substance | Identifier | Permissible concentration |
|--------------------------|----------------------|------------|--|
| OSHA | 2-Butoxyethanol | 111-76-2 | 8-Hour TWA-PEL: 240 mg/m ³ (50 ppm) |
| | Orthophosphoric Acid | 7664-38-2 | 8-Hour TWA-PEL: 1 mg/m ³ |
| | Sulfuric acid | 7664-93-9 | 8-Hour TWA-PEL: 1 mg/m ³ |
| NIOSH | 2-Butoxyethanol | 111-76-2 | IDLH: 700 ppm |
| | 2-Butoxyethanol | 111-76-2 | REL-TWA: 24 mg/m ³ (5 ppm [up to 10 hr]) |
| | Orthophosphoric Acid | 7664-38-2 | REL-TWA: 1 mg/m ³ (up to 10 hr) |
| | Orthophosphoric Acid | 7664-38-2 | 15-Minute STEL: 3 mg/m ³ |
| | Orthophosphoric Acid | 7664-38-2 | IDLH: 1000 mg/m ³ |
| | Sulfuric acid | 7664-93-9 | REL-TWA: 1 mg/m³ (10 hr) |
| | Sulfuric acid | 7664-93-9 | IDLH: 15 mg/m ³ |
| ACGIH | 2-Butoxyethanol | 111-76-2 | 8-Hour TWA: 20 ppm |
| | Orthophosphoric Acid | 7664-38-2 | 8-Hour TWA: 1 mg/m ³ |
| | Orthophosphoric Acid | 7664-38-2 | 15-Minute STEL: 3 mg/m ³ |

Occupational Exposure Limit Values:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.11.2021

Revision date: 05.01.2023

Ultra Soak Lo

| Country (Legal Basis) | Substance | Identifier | Permissible concentration |
|------------------------------|----------------------|------------|--|
| | Sulfuric acid | 7664-93-9 | 8-Hour TWA: 0.2 mg/m ³ (thoracic fraction) |
| United States(California) | 2-Butoxyethanol | 111-76-2 | 8-Hour TWA-PEL: 97 mg/m ³ (20 ppm) |
| | Orthophosphoric Acid | 7664-38-2 | 8-Hour TWA-PEL: 1 mg/m ³ |
| | Orthophosphoric Acid | 7664-38-2 | 15-Minute STEL: 3 mg/m ³ |
| | Sulfuric acid | 7664-93-9 | 8-Hour TWA-PEL: 0.1 mg/m ³ |
| | Sulfuric acid | 7664-93-9 | 15-Minute STEL: 3 mg/m ³ |

Biological Limit Values:

| Country (Legal Basis) | Substance | Identifier | Determinant | Specimen | Sampling time | Permissible limits |
|--------------------------|-----------------|------------|-------------|------------------------|---------------|--------------------|
| ACGIH | 2-Butoxyethanol | | | Creatinine in Urine | End of shift | 200 mg/g |

Information on Monitoring Procedures:

Not determined or not applicable.

Appropriate Engineering Controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

Personal Protection Equipment

Eye and Face Protection:

Use safety glasses with side shields or goggles. Consider the use of a face shield for splash protection. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Skin and Body Protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Full body protection should be worn. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.11.2021

Revision date: 05.01.2023

Ultra Soak Lo

Respiratory Protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

General Hygienic Measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

SECTION 9: Physical and Chemical Properties

Information on Basic Physical and Chemical Properties

| | 1 |
|---|----------------------------------|
| Appearance | Pink Liquid |
| Odor | Acrid, Ether like |
| Odor threshold | Not determined or not available. |
| рН | 1.0-2.0 |
| Melting point/freezing point | Not determined or not available. |
| Initial boiling point/range | Not determined or not available. |
| Flash point (closed cup) | >93 c |
| Evaporation rate | Not determined or not available. |
| Flammability (solid, gas) | Not determined or not available. |
| Upper flammability/explosive limit | Not determined or not available. |
| Lower flammability/explosive limit | Not determined or not available. |
| Vapor pressure | Not determined or not available. |
| Vapor density | Not determined or not available. |
| Density | Not determined or not available. |
| Relative density | 1.10-1.20 |
| Solubilities | Water |
| Partition coefficient (n-octanol/water) | Not determined or not available. |
| Auto/Self-ignition temperature | Not determined or not available. |
| Decomposition temperature | Not determined or not available. |
| Dynamic viscosity | Not determined or not available. |
| Kinematic viscosity | Not determined or not available. |
| Explosive properties | Not determined or not available. |
| Oxidizing properties | Not determined or not available. |

SECTION 10: Stability and Reactivity

Reactivity:

Not reactive under recommended handling and storage conditions.

Chemical Stability:

Stable under recommended handling and storage conditions.

Possibility of Hazardous Reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

Conditions to Avoid:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.11.2021

Revision date: 05.01.2023

Ultra Soak Lo

Avoid generation of aerosols and mists, extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

Incompatible Materials:

None known.

Hazardous Decomposition Products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological Information

Acute Toxicity

Assessment:

Harmful if swallowed.

Product Data: No data available.

Substance Data:

| Name | Route | Result |
|-------------------------------|----------------|--|
| 2-Butoxyethanol | dermal | LD50 Rabbit: 1060 mg/kg |
| | Oral ATE | LD50 Rat: 1200 mg/kg (Annex VI to the CLP) |
| | oral | LD50 Rat: 470 mg/kg |
| | Inhalation ATE | LC50 Rat: 11 mg/L (4 hr [Vapor]) |
| Orthophosphoric Acid | inhalation | LC50 Rat: 1.689 mg/L (1 hr) |
| | oral | LD50 Rat: 1530 mg/kg |
| | dermal | LD50 Rabbit: 2740 mg/kg |
| Benzenesulfonic acid, C10-16- | inhalation | LC50 Rat: >1.9 mg/L (4 h [aerosol]) |
| alkyl derivatives | Dermal ATE | LD50 Rabbit: 1100 mg/kg |
| | Oral ATE | LD50 Rat: 500 mg/kg |
| Sulfuric acid | oral | LD50 Rat: 2140 mg/kg |

Skin Corrosion/Irritation

Assessment:

Causes severe skin burns and eye damage.

Product Data:

No data available.

Substance Data:

| Name | Result |
|--|----------------------------|
| 2-Butoxyethanol | Causes skin irritation. |
| Orthophosphoric Acid | Causes severe skin burns. |
| Benzenesulfonic acid, C10-16- alkyl derivatives | Causes severe skins burns. |
| Sulfuric acid | Causes severe skin burns. |

Serious Eye Damage/Irritation

Assessment:

Causes serious eye damage.

Product Data:

No data available.

Substance Data:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.11.2021

Revision date: 05.01.2023

Ultra Soak Lo

| Name | Result |
|--|--------------------------------|
| 2-Butoxyethanol | Causes serious eye irritation. |
| Orthophosphoric Acid | Causes serious eye damage. |
| Benzenesulfonic acid, C10-16- alkyl derivatives | Causes serious eye damage. |
| Sulfuric acid | Causes serious eye damage. |

Respiratory or Skin Sensitization

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data: No data available.

International Agency for Research on Cancer (IARC):

| Name | Classification |
|--|----------------|
| Water | Not Applicable |
| Orthophosphoric Acid | Not Applicable |
| Sulfuric acid | Group 1 |
| Benzenesulfonic acid, C10-16- alkyl derivatives | Not Applicable |
| 2-Butoxyethanol | Group 3 |

National Toxicology Program (NTP):

| Name | Classification |
|--|-------------------------------|
| Water | Not Applicable |
| Orthophosphoric Acid | Not Applicable |
| Sulfuric acid | Known to be human carcinogens |
| Benzenesulfonic acid, C10-16- alkyl derivatives | Not Applicable |
| 2-Butoxyethanol | Not Applicable |

OSHA Carcinogens: Not applicable

Germ Cell Mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Reproductive Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Specific Target Organ Toxicity (Single Exposure)

Assessment: Based on available data, the classification criteria are not met.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.11.2021

Revision date: 05.01.2023

Ultra Soak Lo

Product Data:

No data available.

Substance Data: No data available.

Specific Target Organ Toxicity (Repeated Exposure)

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data:

| Name | Result |
|----------------------|--|
| Orthophosphoric Acid | Repeated and/or prolonged exposure may have effects on the upper respiratory tract and lungs. This may result in chronic inflammation and reduced lung function. |
| Sulfuric acid | Repeated or prolonged inhalation may damage the lungs. Risk of tooth erosion upon repeated or prolonged exposure to an aerosol of this substance. |

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Information on Likely Routes of Exposure:

No data available.

Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

No data available.

Other Information:

No data available.

SECTION 12: Ecological Information

Acute (Short-Term) Toxicity

Assessment: Based on available data, the classification criteria are not met. **Product Data:** No data available.

Substance Data:

| Name | Result |
|----------------------|---|
| 2-Butoxyethanol | Aquatic Invertebrates EC50 Daphnia magna: 1550 mg/L (48 hr [mobility]) |
| | Fish LC50 Oncorhynchus mykiss: 1474 mg/L (96 hr) |
| | Aquatic Plants EC50 Freshwater algae: 1840 mg/L (72 hr [growth rate]) |
| Orthophosphoric Acid | Aquatic Invertebrates EC50 Daphnia magna: > 100 mg/L (48 hr [immobilization]) |
| | Aquatic Plants EC50 Desmodesmus subspicatus: > 100 mg/L (72 hr [growth rate]) |
| Sulfuric acid | Aquatic Plants EC50 Algae: >100 mg/L (72 hr [growth rate]) |
| | Fish LC50 Lepomis macrochirus: >16 - <28 mg/L (96 hr) |
| | Aquatic Invertebrates EC50 Daphnia magna: >100 mg/L (48 hr [mobility]) |

Chronic (Long-Term) Toxicity

Assessment: Based on available data, the classification criteria are not met. **Product Data:** No data available.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.11.2021

Revision date: 05.01.2023

Ultra Soak Lo

Substance Data:

| Name | Result |
|-----------------|---|
| 2-Butoxyethanol | Fish LC50 Poecilia reticulata: 983 mg/L (7 d) |
| | Aquatic Invertebrates EC50 Daphnia magna: 297 mg/L (21 d [reproduction]) |

Persistence and Degradability

Product Data: No data available.

Substance Data:

| Name | Result | |
|--|---|--|
| 2-Butoxyethanol | Readily biodegradable (90.4% degradation after 28 days, measured by CO2 evolution). | |
| Benzenesulfonic acid, C10-16- alkyl derivatives | Under test conditions no biodegradation observed. | |
| Orthophosphoric Acid | Degradation studies are not applicable to inorganic substances. | |
| | | |

Bioaccumulative Potential

Product Data: No data available.

Substance Data:

| Name | Result |
|----------------------|---|
| 2-Butoxyethanol | Not expected to bioaccumulate (log Kow $=$ 0.83). |
| Orthophosphoric Acid | Bioaccumulation studies are not applicable to inorganic substances. |

Mobility in Soil

Product Data: No data available.

Substance Data: No data available.

Results of PBT and vPvB assessment

Product Data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT. **vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

Substance Data:

PBT assessment:

| The substance is not PBT. | | |
|---|--|--|
| PBT assessment does not apply to inorganic substances. | | |
| PBT assessment does not apply to inorganic substances. | | |
| vPvB assessment: | | |
| The substance is not vPvB. | | |
| vPvB assessment does not apply to inorganic substances. | | |
| vPvB assessment does not apply to inorganic substances. | | |
| | | |

Other Adverse Effects: No data available.

SECTION 13: Disposal Considerations

Disposal Methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

Contaminated packages:

Not determined or not applicable.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200 Initial Preparation Date: 02.11.2021

Revision date: 05.01.2023

Ultra Soak Lo

SECTION 14: Transport Information

United States Transportation of Dangerous Goods (49 CFR DOT)

| UN Number | 3264 |
|---|------|
| UN Proper Shipping Name Corrosive, Liquid, Acidic, Inorganic, N.O.S. (Phospho | |
| UN Transport Hazard Class(es) | 8 |
| Packing Group | 11 |
| Environmental Hazards | None |
| Special Precautions for User | None |

International Maritime Dangerous Goods (IMDG)

| UN Number | 3264 | | |
|-------------------------------|--|--|--|
| UN Proper Shipping Name | Corrosive, Liquid, Acidic, Inorganic, N.O.S. (Phosphoric Acid) | | |
| UN Transport Hazard Class(es) | 8 | | |
| Packing Group | П | | |
| Environmental Hazards | None | | |
| Special Precautions for User | None | | |

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

| UN Number | 3264 |
|---|------|
| UN Proper Shipping Name Corrosive, Liquid, Acidic, Inorganic, N.O.S. (Phosphoric Acidic | |
| UN Transport Hazard Class(es) | 8 |
| Packing Group | П |
| Environmental Hazards | None |
| Special Precautions for User | None |

SECTION 15: Regulatory Information

United States Regulations

Inventory Listing (TSCA): All ingredients are listed-active or exempt.

Significant New Use Rule (TSCA Section 5): None of the ingredients are listed.

Export Notification under TSCA Section 12(b): None of the ingredients are listed.

SARA Section 302 Extremely Hazardous Substances:

| | 7664-93-9 | Sulfuric acid | | Listed | | |
|-----|-----------------------------------|-----------------|--------|--------|--|--|
| SAF | SARA Section 313 Toxic Chemicals: | | | | | |
| | 111-76-2 | 2-Butoxyethanol | | Listed | | |
| | 7664-93-9 | Sulfuric acid | | Listed | | |
| CEF | CERCLA: | | | | | |
| | 111-76-2 | 2-Butoxyethanol | Listed | N/A | | |

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 02.11.2021

Revision date: 05.01.2023

Ultra Soak Lo

| | | | 5000 lbs |
|-----------|---------------|--------|----------|
| 7664-93-9 | Sulfuric acid | Listed | 1000 lbs |

RCRA: None of the ingredients are listed.

Section 112(r) of the Clean Air Act (CAA):

| | 7664-93-9 | Sulfuric acid | Listed | | |
|----|------------------------------|----------------------|--------|--|--|
| Ma | Massachusetts Right to Know: | | | | |
| | 7664-38-2 | Orthophosphoric Acid | Listed | | |
| | 7664-93-9 | Sulfuric acid | Listed | | |
| | 111-76-2 | 2-Butoxyethanol | Listed | | |

New Jersey Right to Know:

| 7664-38-2 | Orthophosphoric Acid | Listed |
|-----------|----------------------|--------|
| 7664-93-9 | Sulfuric acid | Listed |
| 111-76-2 | 2-Butoxyethanol | Listed |

New York Right to Know:

| 7664-38-2 | Orthophosphoric Acid | Listed |
|-----------|----------------------|--------|
| 7664-93-9 | Sulfuric acid | Listed |
| 111-76-2 | 2-Butoxyethanol | Listed |

Pennsylvania Right to Know:

| 7664-38-2 | Orthophosphoric Acid | Listed |
|-----------|----------------------|--------|
| 7664-93-9 | Sulfuric acid | Listed |
| 111-76-2 | 2-Butoxyethanol | Listed |

California Proposition 65:

▲ WARNING: This product can expose you to Strong inorganic acid mists containing sulfuric acid; which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov Additional information: Not determined.

SECTION 16: Other Information

Abbreviations and Acronyms: None

Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA: 0-0-0

HMIS: 3-0-0-X Initial Preparation Date: 02.11.2021 Revision date: 05.01.2023

End of Safety Data Sheet