

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 11.05.2021 Page 1 of 13

Revision date: 07.02.2024

The Drying Agency® 777

SECTION 1: Identification

Product Identifier

Product Name: The Drying Agency® 777

Product code: QW-0477

Recommended Use of the Product and Restriction on Use

Relevant Identified Uses: Commercial Car Wash Rinse Aid - Sealer

Uses Advised Against: Not determined or not applicable.

Reasons Why Uses Advised Against: Not determined or not applicable.

Manufacturer or Supplier Details

Manufacturer: United States

Quest Car Care Products 3333 Production Ct. Zeeland, Michigan 49464 616-772-5100 www.questcarcare.com

Emergency Telephone Number:

United States

CHEMTREC

1-800-424-9300 (24 hrs)

1-800-262-8200 (24 hrs)

1-703-527-3887 (24 hrs (international))

SECTION 2: Hazard(s) Identification

GHS Classification:

Acute toxicity (oral), category 4 Acute toxicity (inhalation), category 4

Skin corrosion, category 1B

Serious eye damage, category 1

Reproductive toxicity, category 2

Specific target organ toxicity - single exposure, category 3, respiratory tract irritation

Label elements

Hazard Pictograms:







Signal Word: Danger **Hazard statements:**

H318 Causes serious eye damage

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 11.05.2021

Revision date: 07.02.2024

The Drying Agency® 777

H302 Harmful if swallowed

H332 Harmful if inhaled

H361 Suspected of damaging fertility or the unborn child (oral)

H314 Causes skin burns and eye damage

H335 May cause respiratory irritation

Precautionary Statements:

P280 Wear protective gloves/protective clothing/eye protection/face protection

P264 Wash hands/skin thoroughly after contact with or handling.

P270 Do not eat, drink or smoke when using this product

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P271 Use only outdoors or in a well-ventilated area

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood

P260 Do not breathe dust/fume/gas/mist/vapors/spray

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 Immediately call a POISON CENTER/911/PHYSICIAN IF: swallowed, eye contact, skin burns/rash or breathing difficulties.

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

P330 Rinse mouth

P312 Call a POISON CENTER/911/PHYSICIAN if you feel unwell.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P308+P313 IF exposed or concerned: Get medical advice/attention

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

P363 Wash contaminated clothing before reuse

P321 Specific treatment (see first aid procedures on the product label in section 4 of this SDS)

P405 Store locked up

P403+P233 Store in a well-ventilated place. Keep container tightly closed

P501 Dispose of contents/container in accordance with local, state and federal regulations.

Hazards Not Otherwise Classified: None

SECTION 3: Composition/Information on Ingredients

Identification	Name	Weight %
CAS Number: Proprietary	Dimethicones	20-40
CAS Number: 111-76-2	Ethylene Glycol Monobutyl Ether	5-10
CAS Number: 556-67-2	Octamethylcyclotetrasiloxane	1-5
CAS Number: 64-19-7	Acetic Acid	1-5
CAS Number: 519142-86-0	Siloxanes and Silicones, polymer	7-9

Additional Information:

Page 2 of 13

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 11.05.2021

Revision date: 07.02.2024

The Drying Agency® 777

Ingredients not listed above are being withheld as trade secret.

SECTION 4: First Aid Measures

Description of First Aid Measures

General Notes:

Show this Safety Data Sheet to the doctor in attendance.

After Inhalation:

If inhaled and you feel unwell or nauseas, discontinue use and get to fresh air and remain calm. If you still feel unwell or breathing is difficult get medical attention immediately and take their advice.

After Skin Contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

After Eye Contact:

Rinse eyes with plenty of water for several minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

After Swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

Most Important Symptoms and Effects, Both Acute and Delayed Acute Symptoms and Effects:

Exposure to skin may result in redness, pain, burning, inflammation and tissue damage. Exposure to eyes may result in irritation, redness, pain, inflammation, itching, burning, tearing, corneal damage and loss of vision. Exposure via inhalation may result in cough, sore throat, burning sensation and shortness of breath. Exposure via ingestion may result in burns of the mouth and throat, abdominal pain, burning sensation in the throat and chest, nausea, vomiting, shock or collapse.

Delayed Symptoms and Effects:

Long term exposure may affect fertility. Symptoms include, but are not limited to: menstrual problems, altered sexual behavior/fertility/ and pregnancy outcome. Long term exposure may also affect development of the unborn child. Symptoms include, but are not limited to: intrauterine growth retardation, pre-term birth, birth defects and postnatal death.

Effects are dependent on exposure (dose, concentration, contact time).

Immediate Medical Attention and Special Treatment

Specific Treatment:

In case of ingestion, seek prompt medical attention.

Notes for the Doctor:

Treat symptomatically.

SECTION 5: Firefighting Measures

Extinguishing Media

Suitable Extinguishing Media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

Unsuitable Extinguishing Media:

Do not use water jet.

Page 3 of 13

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 11.05.2021

Revision date: 07.02.2024

The Drying Agency® 777

Specific Hazards During Fire-Fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

Special Protective Equipment for Firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

SECTION 6: Accidental Release Measures

Personal Precautions, Protective Equipment, and Emergency Procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling.

Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

Methods and Material for Containment and Cleaning Up:

Harmful if swallowed. Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Avoid breathing dust, mist, fumes, vapors or spray. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Reference to Other Sections:

For personal protective equipment see Section 8. For disposal see Section 13.

SECTION 7: Handling and Storage

Precautions for Safe Handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Do not get in eyes. Avoid contact with skin and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Conditions for Safe Storage, Including Any Incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight and away from exit paths. Store in a corrosion-resistant container with a resistant inner liner. Inspect containers and storage area regularly for signs of leak and damage. Store containers at a convenient height for handling, below eye level if possible. High shelving increases the risk of dropping containers, personal injury and exposure. Ensure that appropriate fire fighting and spill-clean up equipment is readily available. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Store separately. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

SECTION 8: Exposure Controls/Personal Protection

Page 4 of 13

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 11.05.2021 Page

Revision date: 07.02.2024

The Drying Agency® 777

Only those substances with limit values have been included below.

Occupational Exposure Limit Values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
OSHA	Ethylene Glycol Monobutyl Ether	111-76-2	8-Hour TWA-PEL: 240 mg/m ³ (50 ppm)
	Acetic Acid	64-19-7	8-Hour TWA: 25 mg/m³ (10 ppm)
NIOSH	Ethylene Glycol Monobutyl Ether	111-76-2	IDLH: 700 ppm
	Ethylene Glycol Monobutyl Ether	111-76-2	REL-TWA: 24 mg/m³ (5 ppm [up to 10 hr])
	Acetic Acid	64-19-7	IDLH: 50 ppm
	Acetic Acid	64-19-7	STEL: 37 mg/m³ (15 ppm)
	Acetic Acid	64-19-7	REL: 25 mg/m³ (10 ppm [for up to a 10-hour workday during a 40-hour workweek])
ACGIH	Ethylene Glycol Monobutyl Ether	111-76-2	8-Hour TWA: 20 ppm
	Acetic Acid	64-19-7	STEL: 15 ppm
	Acetic Acid	64-19-7	TLV-TWA: 10 ppm
United States(California)	Ethylene Glycol Monobutyl Ether	111-76-2	8-Hour TWA-PEL: 97 mg/m ³ (20 ppm)
	Acetic Acid	64-19-7	Ceiling Limit: 40 ppm
	Acetic Acid	64-19-7	STEL: 37 mg/m³ (15 ppm)
	Acetic Acid	64-19-7	8-Hour TWA: 25 mg/m³ (10 ppm)

Biological Limit Values:

=10.0 g.tom =						
Country (Legal Basis)	Substance	Identifi er	Determin ant	Specimen	Sampling time	Permissibl e limits
ACGIH	Ethylene Glycol Monobutyl Ether		Butoxyacet ic acid (with hydrolysis)	Creatinine in Urine	End of shift	200 mg/g

Information on Monitoring Procedures:

Not determined or not applicable.

Appropriate Engineering Controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

Personal Protection Equipment

Eye and Face Protection:

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Skin and Body Protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before

Page 5 of 13

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 11.05.2021 Page

Revision date: 07.02.2024

The Drying Agency® 777

handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Respiratory Protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

General Hygienic Measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

SECTION 9: Physical and Chemical Properties

Information on Basic Physical and Chemical Properties

Appearance	Strawlike Liquid
Odor	Ether like, acrid
Odor threshold	Not determined or not available.
рН	4.0-6.0
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	Not determined or not available.
Flash point (closed cup)	>93 c
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Vapor density	Not determined or not available.
Density	Not determined or not available.
Relative density	0.95-0.97
Solubilities	Water
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

SECTION 10: Stability and Reactivity

Reactivity:

Not reactive under recommended handling and storage conditions.

Chemical Stability:

Stable under recommended handling and storage conditions.

Possibility of Hazardous Reactions:

Page 6 of 13

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 11.05.2021

Revision date: 07.02.2024

The Drying Agency® 777

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

Conditions to Avoid:

Avoid generation of aerosols and mists, extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

Incompatible Materials:

None known.

Hazardous Decomposition Products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological Information

Acute Toxicity

Assessment:

Harmful if swallowed. Harmful if inhaled.

Product Data: No data available.

Substance Data:

Name	Route	Result
Ethylene Glycol Monobutyl	Dermal ATE	LD50 Rabbit: 1100 mg/kg
Ether	Oral ATE	LD50 Rat: 1200 mg/kg (Annex VI to the CLP)
	Inhalation ATE	LC50 Rat: 3 mg/L (4 hr [Vapor] Annex VI to the CLP)
Octamethylcyclotetrasiloxane	oral	LD50 Rat: > 4800 mg/kg
	dermal	LD50 Rat: > 2000 mg/kg
	inhalation	LC50 Rat: 36 mg/L (4 hr [aerosol])
Acetic Acid	oral	LD50 Rat: 3310 mg/kg
	inhalation	LC50 Rat: 11.4 mg/L (4 hr [Vapour])

Skin Corrosion/Irritation

Assessment:

Causes severe skin burns and eye damage.

Product Data:

No data available.

Substance Data:

Name	Result
Ethylene Glycol Monobutyl Ether	Causes skin irritation.
Acetic Acid	Causes severe skin burns.
Dimethicones	Causes severe skin burns.

Serious Eye Damage/Irritation

Assessment:

Causes serious eye damage.

Product Data:

No data available.

Substance Data:

Page 7 of 13

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 11.05.2021

Revision date: 07.02.2024

The Drying Agency® 777

Name	Result
Ethylene Glycol Monobutyl Ether	Causes serious eye irritation.
Acetic Acid	Causes serious eye damage.
Dimethicones	Causes serious eye damage.

Respiratory or Skin Sensitization

Assessment: Based on available data, the classification criteria are not met.

Product Data:No data available.

Substance Data: No data available.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available. **Substance Data:** No data available.

International Agency for Research on Cancer (IARC):

Name	Classification
Ethylene Glycol Monobutyl Ether	Group 3
Dimethicones	Not Applicable
Octamethylcyclotetrasiloxane	Not Applicable
Acetic Acid	Not Applicable
Siloxanes and Silicones, polymer	Not Applicable

National Toxicology Program (NTP):

Name	Classification
Ethylene Glycol Monobutyl Ether	Not Applicable
Dimethicones	Not Applicable
Octamethylcyclotetrasiloxane	Not Applicable
Acetic Acid	Not Applicable
Siloxanes and Silicones, polymer	Not Applicable

OSHA Carcinogens: Not applicable

Germ Cell Mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:No data available.

Substance Data: No data available.

Reproductive Toxicity

Assessment:

Suspected of damaging fertility or the unborn child.

Product Data:No data available. **Substance Data:**

Page 8 of 13

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 11.05.2021

Revision date: 07.02.2024

The Drying Agency® 777

Name	Result
Octamethylcyclotetrasiloxane	Suspected of damaging fertility.

Specific Target Organ Toxicity (Single Exposure)

Assessment:

May cause respiratory irritation.

Product Data:No data available.

Substance Data: No data available.

Specific Target Organ Toxicity (Repeated Exposure)

Assessment: Based on available data, the classification criteria are not met.

Product Data:No data available.

Substance Data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:No data available.

Substance Data: No data available.

Information on Likely Routes of Exposure:

No data available.

Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

No data available. **Other Information:**No data available.

SECTION 12: Ecological Information

Acute (Short-Term) Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

Name	Result
Ethylene Glycol Monobutyl	Aquatic Invertebrates EC50 Daphnia magna: 1550 mg/L (48 hr [mobility])
Ether	Fish LC50 Oncorhynchus mykiss: 1474 mg/L (96 hr)
	Aquatic Plants EC50 Raphidocelis subcapitata: 1840 mg/L (72 hr [Growth rate])
Octamethylcyclotetrasiloxane	Fish LC50 Oncorhynchus mykiss: > 0.022 mg/L (96 hr)
	Aquatic Invertebrates EC50 Daphnia magna: > 0.015 mg/L (48 hr [mobility])
	Aquatic Plants EC50 Raphidocelis subcapitata: > 0.022 mg/L (96 hr [growth rate])
Acetic Acid	Fish LC50 Oncorhynchus mykiss: >1000 mg/L (96 hr)
	Aquatic Invertebrates EC50 Daphnia magna: >1000 mg/L (48 hr [mobility]])
	Aquatic Plants EC50 Skeletonema costatum: >1000 mg/L (72 hr [growth rate])

Chronic (Long-Term) Toxicity

Page 9 of 13

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 11.05.2021 Page

Revision date: 07.02.2024

The Drying Agency® 777

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

Name	Result
Ethylene Glycol Monobutyl Ether	Fish NOEC Danio rerio: $> 100 \text{ mg/L}$ (21 d [markers for endocrine disruptive effects])
	Aquatic Invertebrates NOEC Daphnia magna: 100 mg/L (21 d [reproduction])
Octamethylcyclotetrasiloxane	Fish NOEC Oncorhynchus mykiss: >= 0.0044 mg/L (93 d [embryo viability, hatching success, larval survival and growth])
	Aquatic Invertebrates NOEC Daphnia magna: $>= 0.015$ mg/L (21 d [growth and reproduction])

Persistence and Degradability

Product Data: No data available.

Substance Data:

Name	Result
Octamethylcyclotetrasiloxane	The substance is not readily biodegradable. 3.7% degradation in water, measured by CO2 evolution, after 29 days.
Ethylene Glycol Monobutyl Ether	The substance is readily biodegradable. 90.4% degradation, measured by CO2 evolution, after 28 days.
Acetic Acid	The substance is readily biodegradable.96% degradation in water, measured by bio-oxidation, after 20 days.

Bioaccumulative Potential

Product Data: No data available.

Substance Data:

Name	Result
Ethylene Glycol Monobutyl Ether	The substance is not expected to bioaccumulate (log Kow = 0.83).
Octamethylcyclotetrasiloxane	The substance has the potential to bioaccumulate significantly (log Pow=6.98 at 21.7 °C)
Acetic Acid	The substance is not expected to bioaccumulate (log Pow= -0.17 at 25 °C).

Mobility in Soil

Product Data: No data available.

Substance Data:

Name	Result
1	The substance is hardly mobile, therefore adsorption to soil is expected (log Koc: 4.22).
	The substance is highly mobile, therefore, adsorption to soil is not expected (Koc= 1.153 L/kg, QSAR).

Results of PBT and vPvB assessment

Product Data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT. **vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

Substance Data:

PBT assessment:

Page 10 of 13

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 11.05.2021 Page

Revision date: 07.02.2024

The Drying Agency® 777

Ethylene Glycol Monobutyl Ether	The substance is not PBT.
Octamethylcyclotetrasiloxane	The substance is not a PBT.
Acetic Acid	The subsance is not PBT.
vPvB assessment:	
Ethylene Glycol Monobutyl Ether	The substance is not vPvB.

Other Adverse Effects: No data available.

SECTION 13: Disposal Considerations

Disposal Methods:

Acetic Acid

Dispose of in accordance with state and federal regulations. Small amounts of neat solution can be flushed with copious amounts of water to a sanitary sewer system.

The substance is not vPvB.

Contaminated packages:

Contact the manufacturer for advice. Wear appropriate personal protective equipment before attempting to handle.

SECTION 14: Transport Information

United States Transportation of Dangerous Goods (49 CFR DOT)

Octamethylcyclotetrasiloxane The substance is not a vPvB.

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

International Maritime Dangerous Goods (IMDG)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

<u> </u>		
UN Number	1993	
UN Proper Shipping Name	Flammable Liquids, N.O.S. Isopropanol	
UN Transport Hazard Class(es)	3	
Packing Group	III	
Environmental Hazards	None	

Page 11 of 13

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 11.05.2021 Page 12 of 13

Revision date: 07.02.2024

The Drying Agency® 777

Special Precautions for User	None
------------------------------	------

SECTION 15: Regulatory Information

United States Regulations

Inventory Listing (TSCA):

111-76-2	Ethylene Glycol Monobutyl Ether	Listed - Active
Proprietary	Dimethicones	Not Listed
556-67-2	Octamethylcyclotetrasiloxane	Listed - Active
64-19-7	Acetic Acid	Listed - Active
519142-86-0	Siloxanes and Silicones, polymer	Listed - Active

Significant New Use Rule (TSCA Section 5): None of the ingredients are listed.

Export Notification under TSCA Section 12(b): None of the ingredients are listed.

SARA Section 302 Extremely Hazardous Substances: None of the ingredients are listed.

SARA Section 313 Toxic Chemicals:

	111-76-2 Ethylene Glycol Monobutyl Ether		Listed			
CERCLA:						
	111-76-2 Ethylene Glycol Monobutyl Ether Listed I					
	64-19-7	Acetic Acid	Listed	5000 lbs		
RC	RCRA:					
	64-19-7	Acetic Acid	Listed	D001		

Section 112(r) of the Clean Air Act (CAA): None of the ingredients are listed.

Massachusetts Right to Know:

111-76-2	Ethylene Glycol Monobutyl Ether	Listed
64-19-7	Acetic Acid	Listed

New Jersey Right to Know:

111-76-2	Ethylene Glycol Monobutyl Ether	Listed
64-19-7	Acetic Acid	Listed

New York Right to Know:

111-76-2	Ethylene Glycol Monobutyl Ether	Listed
64-19-7	Acetic Acid	Listed

Pennsylvania Right to Know:

111-76-2	Ethylene Glycol Monobutyl Ether	Listed
64-19-7	Acetic Acid	Listed

California Proposition 65: None of the ingredients are listed.

Additional information: Not determined.

SECTION 16: Other Information

Abbreviations and Acronyms: None

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 11.05.2021 Page 13 of 13

Revision date: 07.02.2024

The Drying Agency® 777

Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA: 0-0-0 **HMIS:** 2-1-0-B

Initial Preparation Date: 11.05.2021

Revision date: 07.02.2024

End of Safety Data Sheet