

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial Preparation Date:** 04.03.2020

Page 1 of 13

**Revision date:** 12.02.2021

**Foam N Soak 3XC**

### SECTION 1: Identification

#### Product Identifier

**Product Name:** Foam N Soak 3XC

**Product code:** QW-3X2

#### Recommended Use of the Product and Restriction on Use

**Relevant Identified Uses:** Commercial Vehicle Wash - Alkaline Detergent

**Uses Advised Against:** Not determined or not applicable.

**Reasons Why Uses Advised Against:** Not determined or not applicable.

#### Manufacturer or Supplier Details

##### Manufacturer:

##### United States

Quest Car Care Products

3333 Production Ct.

Zeeland, Michigan 49464

616-772-5100

www.questcarcare.com

#### Emergency Telephone Number:

##### United States

CHEMTREC

1-800-424-9300 (24 hrs)

1-800-262-8200 (24 hrs)

1-703-527-3887 (24 hrs (international))

### SECTION 2: Hazard(s) Identification

#### GHS Classification:

Acute toxicity (oral), category 4

Acute toxicity (inhalation), category 4

Skin corrosion, category 1A

Serious eye damage, category 1

#### Label elements

##### Hazard Pictograms:



**Signal Word:** Danger

#### Hazard statements:

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.03.2020

Page 2 of 13

Revision date: 12.02.2021

## Foam N Soak 3XC

H302 Harmful if swallowed

H332 Harmful if inhaled

### Precautionary Statements:

P260 Do not breathe dust/fume/gas/mist/vapors/spray

P264 Wash hands/skin thoroughly after contact with or handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection

P270 Do not eat, drink or smoke when using this product

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P271 Use only outdoors or in a well-ventilated area

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

P363 Wash contaminated clothing before reuse

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P310 Immediately call a POISON CENTER/911/PHYSICIAN IF: swallowed, eye contact, skin burns/rash or breathing difficulties.

P321 Specific treatment (see first aid procedures on the product label in section 4 of this SDS)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

P330 Rinse mouth

P312 Call a POISON CENTER/911/PHYSICIAN if you feel unwell.

P405 Store locked up

P501 Dispose of contents/container in accordance with local, state and federal regulations.

**Hazards Not Otherwise Classified:** None

## SECTION 3: Composition/Information on Ingredients

| Identification             | Name             | Weight % |
|----------------------------|------------------|----------|
| CAS Number:<br>Proprietary | Surfactant       | 10-20    |
| CAS Number:<br>111-76-2    | 2-Butoxyethanol  | 5-10     |
| CAS Number:<br>Proprietary | Surfactant       | 5-10     |
| CAS Number:<br>1310-73-2   | Sodium hydroxide | 5-10     |
| CAS Number:<br>Proprietary | Surfactant       | 5-10     |

**Additional Information:** None

## SECTION 4: First Aid Measures

### Description of First Aid Measures

#### General Notes:

Show this Safety Data Sheet to the doctor in attendance.

Show this Safety Data Sheet to the doctor in attendance. Take precautions to ensure your own safety

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial Preparation Date:** 04.03.2020

Page 3 of 13

**Revision date:** 12.02.2021

## Foam N Soak 3XC

before attempting rescue. Wear appropriate safety eyewear, gloves, protective clothing and respiratory protection to prevent exposure. See Section 8 of this SDS for personal protective equipment recommendations. Do not use the mouth to mouth method if victim has ingested or inhaled the product. Give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper device.

### **After Inhalation:**

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If symptoms develop or persist, seek medical advice/attention.

### **After Skin Contact:**

Treatment is urgent. Seek emergency medical treatment. Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse.

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

### **After Eye Contact:**

Immediately rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. Seek immediate medical attention, preferably from an ophthalmologist.

Rinse eyes with plenty of water for several minutes. Remove contact lenses, if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

Rinse eyes with plenty of water for several minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

### **After Swallowing:**

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. Seek immediate medical attention.

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

## **Most Important Symptoms and Effects, Both Acute and Delayed**

### **Acute Symptoms and Effects:**

Exposure to skin may result in redness, pain, burning, inflammation and tissue damage. Exposure to eyes may result in irritation, redness, pain, inflammation, itching, burning, tearing, corneal damage and loss of vision. Exposure via inhalation may result in cough, sore throat, burning sensation and shortness of breath. Exposure via ingestion may result in burns of the mouth and throat, abdominal pain, burning sensation in the throat and chest, nausea, vomiting, shock or collapse.

Eye contact may result in irritation, redness, pain, inflammation, itching, burning, tearing, corneal damage and loss of vision.

Acute oral exposure may lead to dizziness, drowsiness, headache, breathing difficulties, nausea, vomiting, abdominal pain, and lowering of consciousness. Adverse effects are dependent on exposure (dose, concentration, contact time).

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.03.2020

Page 4 of 13

Revision date: 12.02.2021

## Foam N Soak 3XC

Acute inhalation exposure may lead to dizziness, drowsiness, headache, breathing difficulties, nausea, vomiting, abdominal pain, and lowering of consciousness. Adverse effects are dependent on exposure (dose, concentration, contact time).

### Delayed Symptoms and Effects:

Effects are dependent on exposure (dose, concentration, contact time).

Symptoms of exposure may be delayed.

### Immediate Medical Attention and Special Treatment

#### Specific Treatment:

In case of eye contact, seek prompt medical attention while rinsing is continued.

#### Notes for the Doctor:

Treat symptomatically.

## SECTION 5: Firefighting Measures

### Extinguishing Media

#### Suitable Extinguishing Media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

#### Unsuitable Extinguishing Media:

Do not use water jet.

### Specific Hazards During Fire-Fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

### Special Protective Equipment for Firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

### Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts.

Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers.

Avoid unnecessary run-off of extinguishing media which may cause pollution.

## SECTION 6: Accidental Release Measures

### Personal Precautions, Protective Equipment, and Emergency Procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling.

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Do not get on skin, eyes or on clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling. Remove contaminated clothing and laundry before reuse.

### Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

### Methods and Material for Containment and Cleaning Up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Harmful if swallowed. Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Avoid breathing dust, mist, fumes, vapors or spray. Stop leak if you can do it

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.03.2020

Page 5 of 13

Revision date: 12.02.2021

## Foam N Soak 3XC

without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Harmful if inhaled. Put on appropriate personal protective equipment, including a self-contained breathing apparatus (see Section 8) before entering area of spill or leak. Avoid breathing dust, mist, fumes, vapors or spray. Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

### Reference to Other Sections:

For personal protective equipment see Section 8. For disposal see Section 13.

## SECTION 7: Handling and Storage

### Precautions for Safe Handling:

Use appropriate personal protective equipment (see Section 8). Prevent skin contact. Do not get in eyes. Use only with adequate ventilation. Do not add water to the corrosive product. If it is necessary to mix a corrosive product with water, do so slowly adding the corrosive to cold water, in small amounts, and stir frequently. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use. Keep only in original packaging. Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Do not get in eyes. Avoid contact with skin and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

### Conditions for Safe Storage, Including Any Incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight and away from exit paths. Store in a corrosion-resistant container with a resistant inner liner. Inspect containers and storage area regularly for signs of leak and damage. Store containers at a convenient height for handling, below eye level if possible. High shelving increases the risk of dropping containers, personal injury and exposure. Ensure that appropriate fire fighting and spill-clean up equipment is readily available. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Store separately. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

## SECTION 8: Exposure Controls/Personal Protection

Only those substances with limit values have been included below.

### Occupational Exposure Limit Values:

| Country (Legal Basis) | Substance        | Identifier | Permissible concentration                                  |
|-----------------------|------------------|------------|--|
| OSHA                  | 2-Butoxyethanol  | 111-76-2   | 8-Hour TWA-PEL: 240 mg/m <sup>3</sup> (50 ppm [Table Z-1]) |
|                       | Sodium hydroxide | 1310-73-2  | 8-Hour TWA-PEL: 2 mg/m <sup>3</sup>                        |

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.03.2020

Page 6 of 13

Revision date: 12.02.2021

## Foam N Soak 3XC

| Country (Legal Basis)     | Substance        | Identifier | Permissible concentration                                |
|---------------------------|------------------|------------|--|
|                           | 2-Butoxyethanol  | 111-76-2   | 8-Hour TWA: 120 mg/m <sup>3</sup> (25 ppm [Table Z-1-A]) |
| NIOSH                     | 2-Butoxyethanol  | 111-76-2   | IDLH: 700 ppm  |
|                           | 2-Butoxyethanol  | 111-76-2   | REL-TWA: 24 mg/m <sup>3</sup> (5 ppm [up to 10 hr])      |
|                           | Sodium hydroxide | 1310-73-2  | IDLH: 10 mg/m <sup>3</sup>                               |
|                           | Sodium hydroxide | 1310-73-2  | Ceiling Limit: 2 mg/m <sup>3</sup>                       |
| ACGIH                     | 2-Butoxyethanol  | 111-76-2   | 8-Hour TWA-PEL: 20 ppm                                   |
|                           | Sodium hydroxide | 1310-73-2  | Ceiling Limit: 2 mg/m <sup>3</sup>                       |
| United States(California) | 2-Butoxyethanol  | 111-76-2   | 8-Hour TWA-PEL: 97 mg/m <sup>3</sup> (20 ppm)            |
|                           | Sodium hydroxide | 1310-73-2  | Ceiling Limit: 2 mg/m <sup>3</sup>                       |
|                           | 2-Butoxyethanol  | 111-76-2   | REL: 4700 ug/m <sup>3</sup> (Acute inhalation)           |
|                           | 2-Butoxyethanol  | 111-76-2   | REL: 164 ug/m <sup>3</sup> (8-hour Inhalation)           |
|                           | 2-Butoxyethanol  | 111-76-2   | REL: 82 ug/m <sup>3</sup> (Chronic inhalation)           |
|                           | Sodium hydroxide | 1310-73-2  | REL: 8 ug/m <sup>3</sup> (Acute Inhalation)              |

### Biological Limit Values:

| Country (Legal Basis) | Substance       | Identifier | Determinant                         | Specimen            | Sampling time | Permissible limits |
|-----------------------|-----------------|------------|-------------------------------------|---------------------|---------------|--------------------|
| ACGIH                 | 2-Butoxyethanol | 111-76-2   | Butoxyacetic acid (with hydrolysis) | Creatinine in Urine | End of shift  | 200 mg/g           |

### Information on Monitoring Procedures:

Not determined or not applicable.

### Appropriate Engineering Controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

### Personal Protection Equipment

#### Eye and Face Protection:

Use safety glasses with side shields or goggles. Consider the use of a face shield for splash protection. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).  
Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

#### Skin and Body Protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Full body protection should be worn. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.03.2020

Page 7 of 13

Revision date: 12.02.2021

## Foam N Soak 3XC

a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

### Respiratory Protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

### General Hygienic Measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

## SECTION 9: Physical and Chemical Properties

### Information on Basic Physical and Chemical Properties

|   |                                  |
|---|----------------------------------|
| Appearance                              | Golden                           |
| Odor                                    | Etherlike - Citrus               |
| Odor threshold                          | Not determined or not available. |
| pH                                      | Not determined or not available. |
| Melting point/freezing point            | Not determined or not available. |
| Initial boiling point/range             | Not determined or not available. |
| Flash point (closed cup)                | Not determined or not available. |
| Evaporation rate                        | Not determined or not available. |
| Flammability (solid, gas)               | Not determined or not available. |
| Upper flammability/explosive limit      | Not determined or not available. |
| Lower flammability/explosive limit      | Not determined or not available. |
| Vapor pressure                          | Not determined or not available. |
| Vapor density                           | Not determined or not available. |
| Density                                 | Not determined or not available. |
| Relative density                        | 1.10-1.15                        |
| Solubilities                            | Water                            |
| Partition coefficient (n-octanol/water) | Not determined or not available. |
| Auto/Self-ignition temperature          | Not determined or not available. |
| Decomposition temperature               | Not determined or not available. |
| Dynamic viscosity                       | Not determined or not available. |
| Kinematic viscosity                     | Not determined or not available. |
| Explosive properties                    | Not determined or not available. |
| Oxidizing properties                    | Not determined or not available. |

## SECTION 10: Stability and Reactivity



# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.03.2020

Page 8 of 13

Revision date: 12.02.2021

## Foam N Soak 3XC

### Reactivity:

Not reactive under recommended handling and storage conditions.

### Chemical Stability:

Stable under recommended handling and storage conditions.

### Possibility of Hazardous Reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

### Conditions to Avoid:

Avoid generation of aerosols and mists, extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

Avoid confined spaces, extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

### Incompatible Materials:

None known.

### Hazardous Decomposition Products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological Information

### Acute Toxicity

#### Assessment:

Harmful if swallowed.

Harmful if inhaled.

**Product Data:** No data available.

#### Substance Data:

| Name                       | Route      | Result                                     |
|----------------------------|------------|--|
| 2-Butoxyethanol            | dermal     | LD50 Rabbit: 220 mg/kg                     |
|                            | inhalation | LC50 Rat: 450 ppmV (4 hr - Vapor)          |
|                            | Oral ATE   | LD50 Rat: 1200 mg/kg (Annex VI to the CLP) |
|                            | oral       | LD50 Rat: 470 mg/kg                        |
| Sodium hydroxide           | oral       | LD50 Rat: 140-340 mg/kg                    |
|                            | dermal     | LD50 Rabbit: 1350 mg/kg                    |
| Surfactant                 | oral       | LD50 Rat: 2079 mg/kg                       |
|                            |            | LD50 Rat: 1064 mg/kg                       |
|                            |            | LD50 Rat: >= 3346 mg/kg                    |
|                            | inhalation | LC50 Rat: >52 mg/L (4 hr [aerosol])        |
|                            | dermal     | LD50 Rabbit: 6300 mg/kg                    |
|                            |            | LD50 Rat: > 2000 mg/kg                     |
| LD50 Rabbit: >= 2000 mg/kg |            |  |

### Skin Corrosion/Irritation

#### Assessment:

Causes severe skin burns and eye damage.

#### Product Data:

No data available.

#### Substance Data:



# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.03.2020

Page 9 of 13

Revision date: 12.02.2021

## Foam N Soak 3XC

| Name             | Result                    |
|------------------|---------------------------|
| 2-Butoxyethanol  | Causes skin irritation.   |
| Sodium hydroxide | Causes severe skin burns. |
| Surfactant       | Causes skin irritation.   |
|                  | Causes skin irritation.   |

### Serious Eye Damage/Irritation

**Assessment:**

Causes serious eye damage.

**Product Data:**

No data available.

**Substance Data:**

| Name             | Result                         |
|------------------|--------------------------------|
| 2-Butoxyethanol  | Causes serious eye irritation. |
| Sodium hydroxide | Causes serious eye damage.     |
| Surfactant       | Causes serious eye damage.     |
|                  | Causes serious eye damage.     |
|                  | Causes serious eye irritation. |

### Respiratory or Skin Sensitization

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:** No data available.

### Carcinogenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

**Substance Data:** No data available.

### International Agency for Research on Cancer (IARC):

| Name             | Classification |
|------------------|----------------|
| 2-Butoxyethanol  | Group 3        |
| Sodium hydroxide | Not Applicable |
| Surfactant       | Not Applicable |
|                  | Not Applicable |
|                  | Not Applicable |

### National Toxicology Program (NTP):

| Name             | Classification |
|------------------|----------------|
| 2-Butoxyethanol  | Not Applicable |
| Sodium hydroxide | Not Applicable |
| Surfactant       | Not Applicable |
|                  | Not Applicable |
|                  | Not Applicable |

**OSHA Carcinogens:** Not applicable

### Germ Cell Mutagenicity

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.03.2020

Page 10 of 13

Revision date: 12.02.2021

## Foam N Soak 3XC

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:** No data available.

### Reproductive Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:** No data available.

### Specific Target Organ Toxicity (Single Exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:** No data available.

### Specific Target Organ Toxicity (Repeated Exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:** No data available.

### Aspiration toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:** No data available.

### Information on Likely Routes of Exposure:

No data available.

### Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

No data available.

### Other Information:

No data available.

## SECTION 12: Ecological Information

### Acute (Short-Term) Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

**Substance Data:**

| Name             | Result  |
|------------------|---|
| 2-Butoxyethanol  | Aquatic Invertebrates EC50 Daphnia magna: 1,550 mg/L (48 hr)                    |
|                  | Fish LC50 Oncorhynchus mykiss: 1,474 mg/L (96 hr)                               |
| Sodium hydroxide | Fish LC50 Gambusia affinis: 125 mg/L (96 hr)                                    |
|                  | Aquatic Invertebrates EC50 Ceriodaphnia sp.: 40.4 mg/L (48 hr)                  |
| Surfactant       | Fish LC50 Danio rerio: 4.2 mg/L (96 hr)   |
|                  | Aquatic Invertebrates EC50 Ceriodaphnia conforms (cf.) dubia: 4.53 mg/L (48 hr) |
|                  | Aquatic Plants EC50 Pseudokirchneriella subcapitata: 0.07 mg/L (72 hours)       |

### Chronic (Long-Term) Toxicity

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.03.2020

Page 11 of 13

Revision date: 12.02.2021

## Foam N Soak 3XC

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

### Substance Data:

| Name            | Result  |
|-----------------|---|
| 2-Butoxyethanol | Fish NOEC Danio rerio: > 100 mg/L (21 d)                      |
|                 | Aquatic Invertebrates NOEC Daphnia magna: 100 mg/L (21 d)     |
| Surfactant      | Aquatic Invertebrates NOEC Daphnia magna: 2.42 mg/L (21 d)    |
|                 | Aquatic Invertebrates NOEC Daphnia magna: 0.07 mg/L (21 days) |

### Persistence and Degradability

**Product Data:** No data available.

### Substance Data:

| Name             | Result  |
|------------------|---|
| 2-Butoxyethanol  | Readily biodegradable (90.4% degradation after 28 days).                            |
| Surfactant       | Readily biodegradable (80% degradation in 28 days).                                 |
| Sodium hydroxide | A biodegradation study does not need to be conducted as the substance is inorganic. |
| Surfactant       | Readily biodegradable (95% degradation in 28 days).                                 |

### Bioaccumulative Potential

**Product Data:** No data available.

### Substance Data:

| Name             | Result   |
|------------------|--|
| Sodium hydroxide | The substance has a low potential for bioaccumulation.   |
| Surfactant       | The substance has a low potential for bioaccumulation indicated by a experimental log Pow of -1.3 (BCF for aquatic species: 70.8 L/kg ww). |
| 2-Butoxyethanol  | Not expected to bioaccumulate (log Kow = 0.83).  |
| Surfactant       | Substance has low potential for bioaccumulation (log kow: <3).   |

### Mobility in Soil

**Product Data:** No data available.

### Substance Data:

| Name             | Result   |
|------------------|--|
| Surfactant       | This substance adsorption to soil and sediment is expected to be low (highly mobile with a Koc at 20 °C: 1.607).   |
| Sodium hydroxide | The substance has a high water solubility. As the dilution of the substance increases, its speed of movement through soil increases. During movement through soil, some ion exchange will occur. |

### Results of PBT and vPvB assessment

#### Product Data:

**PBT assessment:** This product does not contain any substances that are assessed to be a PBT.

**vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

#### Substance Data:

##### PBT assessment:

|                  |  |
|------------------|--|
| 2-Butoxyethanol  | This substance is not PBT.                                       |
| Sodium hydroxide | A PBT assessment is not required, as the substance is inorganic. |
| Surfactant       | The substance is not PBT.  |
| Surfactant       | The substance is not PBT.  |

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.03.2020

Page 12 of 13

Revision date: 12.02.2021

## Foam N Soak 3XC

### vPvB assessment:

|                  |  |
|------------------|--|
| 2-Butoxyethanol  | This substance is not vPvB.                                      |
| Sodium hydroxide | A vPvB assessment is not required as the substance is inorganic. |
| Surfactant       | The substance is not vPvB.                                       |
| Surfactant       | The substance is not vPvB.                                       |

**Other Adverse Effects:** No data available.

## SECTION 13: Disposal Considerations

### Disposal Methods:


It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

### Contaminated packages:


Not determined or not applicable.

## SECTION 14: Transport Information


### United States Transportation of Dangerous Goods (49 CFR DOT)

|                               |   |
|-------------------------------|---|
| UN Number                     | 1824  |
| UN Proper Shipping Name       | Sodium Hydroxide Solution   |
| UN Transport Hazard Class(es) | 8  |
| Packing Group                 | II  |
| Environmental Hazards         | None  |
| Special Precautions for User  | None  |

### International Maritime Dangerous Goods (IMDG)

|                               |   |
|-------------------------------|---|
| UN Number                     | 1824  |
| UN Proper Shipping Name       | Sodium Hydroxide Solution   |
| UN Transport Hazard Class(es) | 8  |
| Packing Group                 | II  |
| Environmental Hazards         | None  |
| Special Precautions for User  | None  |

### International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

|                               |   |
|-------------------------------|---|
| UN Number                     | 1824  |
| UN Proper Shipping Name       | Sodium Hydroxide Solution   |
| UN Transport Hazard Class(es) | 8  |
| Packing Group                 | II  |
| Environmental Hazards         | None  |
| Special Precautions for User  | None  |

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 04.03.2020

Page 13 of 13

Revision date: 12.02.2021

## Foam N Soak 3XC

### SECTION 15: Regulatory Information

#### United States Regulations

**Inventory Listing (TSCA):** All ingredients are listed-active or exempt.

**Significant New Use Rule (TSCA Section 5):** None of the ingredients are listed.

**Export Notification under TSCA Section 12(b):** None of the ingredients are listed.

**SARA Section 302 Extremely Hazardous Substances:** None of the ingredients are listed.

**SARA Section 313 Toxic Chemicals:**

|          |                 |        |
|----------|-----------------|--------|
| 111-76-2 | 2-Butoxyethanol | Listed |
|----------|-----------------|--------|

**CERCLA:**

|           |                  |        |         |
|-----------|------------------|--------|---------|
| 111-76-2  | 2-Butoxyethanol  | Listed | N/A     |
| 1310-73-2 | Sodium hydroxide | Listed | 1000 lb |

**RCRA:** None of the ingredients are listed.

**Section 112(r) of the Clean Air Act (CAA):** None of the ingredients are listed.

**Massachusetts Right to Know:**

|           |                  |        |
|-----------|------------------|--------|
| 111-76-2  | 2-Butoxyethanol  | Listed |
| 1310-73-2 | Sodium hydroxide | Listed |

**New Jersey Right to Know:**

|           |                  |        |
|-----------|------------------|--------|
| 111-76-2  | 2-Butoxyethanol  | Listed |
| 1310-73-2 | Sodium hydroxide | Listed |

**New York Right to Know:**

|           |                  |        |
|-----------|------------------|--------|
| 111-76-2  | 2-Butoxyethanol  | Listed |
| 1310-73-2 | Sodium hydroxide | Listed |

**Pennsylvania Right to Know:**

|           |                  |        |
|-----------|------------------|--------|
| 111-76-2  | 2-Butoxyethanol  | Listed |
| 1310-73-2 | Sodium hydroxide | Listed |

**California Proposition 65:** None of the ingredients are listed.

### SECTION 16: Other Information

**Abbreviations and Acronyms:** None

**Disclaimer:**

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

**NFPA:** 0-0-0

**HMIS:** 3-0-0-X

**Initial Preparation Date:** 04.03.2020

**Revision date:** 12.02.2021

**End of Safety Data Sheet**